


# ALI, INC.

ALUMINUM PROFILE



MODULAR RACKING SYSTEMS



ESD AND CLEANROOM PRODUCTS








465 East Carmel Street  
San Marcos, CA 92078  
(760) 510-1072 Tel  
(760) 304-8186 Fax  
info@ameri-links.com



# ALI Aluminum Profile



# ALI Aluminum Profile













Part Number	Description	For Aluminum Profile	Image	
MP-3030-6	T-slotted Aluminum Profile 30mm x 30mm x 6m	30x30		
MP-4040L-6	T-slotted Aluminum Profile 40mm x 40mm x 6m	40x40		
MP-4080L-3	T-slotted Aluminum Profile 40mm x 80mm x 3m	40x80		




























# ALI Brackets for Aluminum Profile

Part Number	Description	For Aluminum Profile	Image	
BK-S G306-I	Frame Joint "I type" for 30mm x 30mm Aluminum Profile	30x30		
BK-S G408-I	Frame Joint "I type" for 40mm x 40mm Aluminum Profile.	40x40		
		40x80		
BK-S G306-L	Steel Bracket L Type for 30mm x 30mm Aluminum Profile	30x30		
BK-S 408-L	Steel Bracket L Type for 40mm x 40mm Aluminum Profile	40x40		
		40x80		
BK-S G306-T	Frame Joint "CT type" for 30mm x 30mm Aluminum Profile.	30x30		
BK-S G408-T	Frame Joint "CT type" for 40mm x 40mm Aluminum Profile	40x40		
		40x80		


# ALI Brackets and Plastic Accessories

Part Number	Description	For Aluminum Profile	Image	
JC G308	Steel Joint Clip	30x30		
JC G408	Steel Joint Clip	40x40		
		40x80		
AJM6 (30)	Free Angle Bracket	30x30		
AJM8 (40)	Free Angle Bracket	40x40		
		40x80		
SHM6 (30)	Slider Hook-Black	30x30		
SHM8 (40)	Slider Hook-Black	40x40		
		40x80		
MTL-30	Cable Tie Mount-Black	30x30		

# ALI Brackets and Plastic Accessories

















Part Number	Description	For Aluminum Profile	Image	
MTL-40	Cable Tie Mount-Black	40x40		
		40x80		
IB G306	Inner Bracket for 30x30	30x30		
IB G408	Inner Bracket for 40x40	40x40		
		40x80		
MLN-08 (40)	Inner Steel Bracket	40x40		
		40x80		
MB-G306 (3T/8T)	Multi Block-Black	30x30		
MB-306 (5T/8T)	Multi Block-Black	30x30		
MB-G408 (1T/10T)	Multi Block-White	40x40		
		40x80		

# ALI Fasteners for Aluminum Profile





Part Number	Description	For Aluminum Profile	Image	
B-TG 6X15 (30)	T-Bolt	30x30		
B-TG 8X18 (40)	T-Bolt	40x40		
		40x80		
B-SW 5X15 (30)	Bolt M5 with Washer	30x30		 M5; L:15; H:6; D:10; D1:13; S:4
B-SW 6X15 (30)	Bolt M6 with Washer	30x30		 M6; L:15; H:6; D:10; D1:13; S:5
B-SW 8X20 (40)	Bolt M8 with Washer	40x40		 M8; L:20; H:6; D:10; D1:18; S:6
		40x80		



# ALI Fasteners for Aluminum Profile

Part Number	Description	For Aluminum Profile	Image	
B-WO 6X15 (30)	Bolt M6x15 (Socket Cap)	30x30		 M6; L:15; H:6; D:10; S:5
B-WO 6X20 (30)	Bolt M6x20 (Socket Cap) Works with free angle bracket	30x30		 M6; L:20; H:6; D:10; S:5
B-WO 8X15 (40)	Bolt M8x15 (Socket Cap)	40x40		 M8; L:15; H:8; D:13; S:6
		40x80		
B-WO 8X20 (40)	Bolt M8x20 (Socket Cap)	40x40		 M8; L:20; H:8; D:13; S:6
		40x80		
B-WO 6X12 (30)	Bolt-Countersunk	30x30		 M6; L:12; H:3.3; D:12; S:4
B-WS 8X12 (40)	Bolt-Countersunk	40x40		 M6; H:3.3; D:10.5; S:4
		40x80		
B-WD 6X15 (30)	CENTRAL Bolt M6-Button type Hex Socket	30x30		 M6; D:10.5; H:3.3; S:4
B-WD 8X20 (40)	CENTRAL Bolt M8-Button type Hex Socket	40x40		 M8; D:14; H:4.4; S:5
		40x80		

# ALI Fasteners for Aluminum Profile

















Part Number	Description	For Aluminum Profile	Image	
N-TG (30)	T-Nut	30x30		
N-FM6 (30)	Flange Nut	30x30		 M6; D:13.5; H:6; B:10
N-FM8 (40)	Flange Nut	40x40		 M8; D:17; H:8; B:12
		40x80		
N-SR G306 (30)	Nut-Square for M6x15 Bolt	30x30		
N-SR G408 (40)	Nut-Square for M8x20 Bolt	40x40		
		40x80		
JC-D 306 (30)	Spring Nut	30x30		
JC-D 408 (40)	Spring Nut	40x40		
	40x80			

# ALI Fasteners for Aluminum Profile













Part Number	Description	For Aluminum Profile	Image
N-I G305	Insert Nut	30x30	
N-IG408	Insert Nut	40x40	
		40x80	



# ALI Leveling Foot & Base for Aluminum Profile















Part Number	Description	For Aluminum Profile	Image	
LF-P 36-06X040	Leveling Foot for Aluminum Profile (3030)	30x30		 A:36; M6x1.0; L1:40; L2:55; H:6; I:9
LF-PR 6X40-40	Leveling Foot with Rubber Pad for (3030)	30x30		 A:36; M6x1.0; L1:40; L2:55; H:6; I:9
LF-P 36-08X040	Leveling Foot for Aluminum Profile (4040L)	40x40		 A:36; M8x1.25; L1:40; L2:55; H:6; I:9
		40x80		
LF-PR 8X40-40	Leveling Foot with Rubber Pad (4040)	40x40		 A:36; M8x1.25; L1:40; L2:55; H:6; I:9
		40x80		
LF-PR 6X40-30	Leveling Foot with Rubber Pad	30x30		 A:30; M6x1.0; L1:40; L2:61; H:6; I:15
		40x40		
		40x80		
LF-PR 8X40-40	Leveling Foot with Rubber Pad	40x40		 A:30; M8x1.0; L1:40; L2:61; H:6; I:15
		40x80		
FB-D 60X60C	Leveling Foot Base	30x30		 3-Ø7 CW Ø1.4 DP9
FB-D 80X80C	Leveling Foot Base	40x40		 M1.2, M1.6, M2.0 3-Ø9 CW Ø1.4 DP9
		40x80		

# ALI End Caps for Aluminum Profile

Part Number	Description	For Aluminum Profile	Image	
<b>EC-P/M 30x30M30</b>	Plastic End Cap-Black	30x30		
<b>EC-PD/M 40X40(L)</b>	Plastic End Cap-Black	40x40		
		40x80		
<b>EC-DG 30X30</b>	AL End Cap	30x30		
<b>EC-DG 40X40</b>	AL End Cap	40x40		
		40x80		
<b>C-GR M6</b>	Cover-Plastic Black 3m Length	30x30		
<b>C-GR M8</b>	Cover-Plastic Black 3m Length	40x40		
		40x80		



# ALI Handle and Hinges for Aluminum Profile



Part Number	Description	For Aluminum Profile	Image	
HD-G-S79 (30)	Door Handle	30x30		 L:94; P:79; W:15; H1:19 H2: 4.2; M4.5
		40x40		
		40x80		
HD-G-S113.5	Door Handle	30x30		 L:133.5; P:113.5; W:20; H1:27; H2: 5.2; M4.5
		40x40		
		40x80		
H-GD60X60	Door Handle	30x30		 L:60; L1&L2: 30; P1&P2:15
		40x40		
		40x80		
H-GD60X70	Door Handle	30x30		 L:70; L1&L2: 35; P1&P2:20
		40x40		
		40x80		
H-CH-002-75	Door Handle	30x30		 L:70; L1&L2: 35; P1&P2:20
		40x40		
		40x80		
H-CH-048	Nylon Door Hinge	30x30		 L:62; L1:44; L2:28; P1:12.5; P2:12.5; Ø8.8 CS
		40x40		
		40x80		
H-BC-50	Door Magnet	30x30		 L:64; L1:40; L2:24; P1:12; P2:12; Ø8.8 CS
		40x40		
		40x80		



# Monitor Arms

Part Number	Specifications
<b>ALI-AE 12</b>	Aluminum Single Monitor Arm Height Adjustable, Tilt.
	
 <p>15" - 27"      Load      VESA 0-8kgs/0-17.6lbs      75x75      100x100</p>	

Part Number	Specifications
<b>ALI-VM 10</b>	Aluminum Wall Plate For Monitor Arms.
	

Part Number	Specifications	
<b>ALI-WS08</b>	Aluminum, Adjustable Single Monitor Arm with Keyboard Tray. Mechanical Spring w/ Adjustable Tension & Integrated Cable Management.	 <p>13" - 27"      Load      VESA 0-8kgs/0-17.6lbs      75x75      100x100</p>
		

# ESD Keyboard and Mouse

Specifications		
Description	Part Number	
	<b>MS24-S-001</b>	<b>M24-S-002</b>
Keyboard Type	ESD Wireless Keyboard	ESD Wire Keyboard
Material	Permanent Antistatic ABS Plastic	
Surface Resistivity	10-10 Ohms /sq	
Friction Voltage	<100 V	
Interface Type	USB	
Color	Black	



**MS24-S-001**



**M24-S-002**

Specifications		
Description	Part Number	
	<b>MS25-S-001</b>	<b>M24-S-002</b>
Wireless	ESD Wireless Mouse	ESD Mouse
Material	Permanent Antistatic ABS Plastic	
Surface Resistivity	10-10 Ohms /sq	
Friction Voltage	<100 V	
Interface Type	USB	
Color	Black	



**MS25-S-001**



**M24-S-002**

# ALI, INC.



## **USA Office**

465 East Carmel Street  
San Marcos, CA 92078

(760) 510-1072 Tel  
(760) 304-8186 Fax

[info@ameri-links.com](mailto:info@ameri-links.com)

